



Product Quick Reference Guide

Airborne SATCOM Antennas

Contact Us

US Gov't/Military & N. America

Aviatech Corporation
2250 Highland Village Road
Suite 230
Highland Village, TX 75077
Tel: 817-430-4784
Email: sales@aviatechcorp.com

Rest of the World

Cooper Antennas Ltd
Thames Industrial Estate
Fieldhouse Lane, Marlow
Buckinghamshire SL7 1TB UK
Tel: +44 (0)1628-482-360
Email: sales@cooperantennas.com

WWW.COOPERANTENNAS.COM

Product Quick Reference Guide
Revision B



Instructions:

Start and stop frequencies are listed for products with a frequency component, such as antennas, filters, multiplexers, etc. When more than one frequency band is present, the individual bands are denoted by “/” for bands on the same connector, and “&” for bands on separate connectors. For example a frequency listing of “30-174/225-512 & 960-1220MHz” indicates two frequency bands, 30-174 and 225-512 are on one connector and the frequency band of 960-1220 is on a different connector.


Cooper Antennas Ltd.:

Aviatech Corporation is the sole provider of sales and technical support to the North American market for Cooper Antennas products. Detailed product information is available on the Cooper Antennas website, www.cooperantennas.com.

Product Quick Reference Guide
Revision B

 21-30-29 (225-400 & 225-400 MHz)	 21-30-29/1 (225-400 & 225-400 MHz)	 21-30-31 (225-400 & 225-400 MHz)	 21-30-44 (240-385 MHz)	 21-30-70 (225-400 MHz)
 21-30-76 (225-512 & 225-400 MHz)	 21-30-91 (243-385 MHz)	 21-30-91M (243-385 MHz)	 21-30-91M (243-385 MHz)	 21-40-79 Iridium/Inmarsat/GPS (1525-1660/1227.6 ±15 MHz)
 21-40-86 GNSS/S-Band Satellite (1176-2500 MHz)	 21-40-205 For Thuraya (1525-1661 MHz)	 21-50-06-22 (30-512 & 240-380 & 960-1220 MHz)	 21-50-29 (30-512 & 225-400 MHz)	 21-50-46 (30-512 & 240-385 MHz)

Product Quick Reference Guide
Revision B

 21-50-48 (30-512 & 240-385 MHz)	 21-50-48-1 (30-512 & 240-385 & 500-941 MHz)	 21-50-61-1 (150-400 & 240-385 MHz)	 21-50-6 (150-400 & 240-385 MHz)	 21-50-70 (30-512 & 240-400 MHz)
 21-50-71 (240-400 & 30-2000 MHz)	 21-50-71-1 (240-385 & 30-2000 MHz & 1564-1587/1216-1239 MHz)	 21-50-71-2 (240-400MHz & 30 - 1220 MHz)	 21-50-71-4 (240-380 & 30 - 2000 & 1564-1587/1216-1239 MHz)	 21-50-71-6 (240-385 & 30 - 2000 & 1227-1627 MHz)
 21-50-72 (225-450 & 240-400 MHz)	 21-50-73 (225-450 & 240-400 & 960-1220 MHz & 1564-1587/1216-1239 MHz)	 21-50-74 (30-600 & 240-400 & 960-1220 MHz)	 21-50-75 (30-512 & 240-380 MHz)	 21-50-76 (30-512 & 240-400 MHz)

Product Quick Reference Guide
Revision B

 21-50-77 (30-512 & 240-400 & 900-2000 MHz)	 21-50-78 (30-512 & 240-400 & 1564-1587/1216-1239 MHz)	 21-50-79 (225-450 & 240-400 & 1564-1587/1216-1239 MHz)	 21-50-129 (30-512 & 240-400MHz & GPS-L1/L2)	 21-50-405 (243-318 MHz)
 21-51-46 (30-512 & 240-385 MHz & GPS-L1/L2)	 21-52-46 (30-512 & 240-385 & 960-2000 MHz)	 21-53-46 Active GPS (240-385 & 500-941 MHz & GPS-L1/L2)	 21-54-46 Active GPS (30-512 & 240-385 MHz & GPS-L1/L2)	 21-54-49 Active GPS (30-520 & 240-380 MHz & GPS-L1)
 21-55-46 Active GPS (30-512 & 240-380 & 1227-1627 MHz)	 21-60-26 (240-385 MHz)	 21-60-26-1 (240-385 MHz)	 21-60-30 (243-318 MHz)	